Author Index of Volume 480

Al-Juaid, S.S., 45, 139, 199
Al-Mansour, A.I., 139

Bakshi, P.K., 191
Bangel, M., C18
Bartik, B., 15
Bartik, T., 15
Bermúdez, M.D., 103
Berthet, J.-C., 155
Biesemans, M., 255
Bozak, R.E., 81
Braun, T., 145
Briard, P., 205

Cabeza, J.A., 205
Cameron, T.S., 191
Carpenter, J.C., 23
Carrión, F.J., 103
Cella, J.A., 23
Chang, Y.-T., 75
Chen, C.-T., 75
Chenal, T., 91
Chivers, T., C4
Ciprès, I., 91
Connelly, N.G., C12
Couret, C., C14
Crossley, J.G., C12

Daniel, T., 145
Daran, J.-C., 91
De Borger, I., 255
Delmotte, A., 255
Delpon-Lacaze, G., C14
Denisovich, L.I., C16
Deus, N., 81

Eaborn, C., 139, 199
Elison, M., C7
Elsevier, C.J., 27
Ephritikhine, M., 155
Escarpa Gaede, P., 213
Evans, W.J., 41

Felten, C., 51
Fischer, H., 221
Fraústo da Silva, J.J.R., 81

Gielen, M., 255
Gilbert, S., 241
Girolami, G.S., 1
Gonzales, S.L., 41
Gresham, E., 261
Grigor'ev, E.V., 163
Groshens, T.J., 11
Guo, I., 15
Gusev, O.V., C16

Hamor, T.A., 261
Hanson, B.E., 15
Hassler, K., 173
Henkel, S., 167
Herres, M., 235
Herrmann, R., 81
Herrmann, W.A., C7
Hilts, R.W., C4
Hitchcock, P.B., 45, 139, 199
Hoffman, K., C4
Hogg, J.K., C1
Hong, F.-E., 75

James, S.L., C1
Jeannin, S., 111
Jeannin, Y., 111
Johnson, C.E., 11
Johnson, J.A., 45
Jutzi, P., C18

Kalck, P., 91, 177
Katzenbeisser, U., 173
Kayser, F., 255
Klapötke, T.M., 191, 195
Klinkhammer, K.W., 167
Knorr, M., 241
Kühn, F.E., C7
Kundu, K., 199

Lang, H., 235
Le Maréchal, J.-F., 155
Liao, F.-L., 75
Llamazares, A., 205
Lorberth, J., 163

Maitlis, P.M., C16
Martín, A., C10
Martínez-Nicolás, G., 103
Maslakov, A.G., 261
Massa, W., 163
Mathieu, R., 185
McGeary, C.A., 199
McWhinnie, W.R., 261
Mena, M., C10
Millington, P.L., 227
Mock, S., 241
Moldes, I., 185
Monteil, F., 177
Morris, R.J., 1
Müller, J., 213

Naigre, R., 91
Nixon, J.F., 45
Nürnberg, O., 145

Öfele, K., C7
Olbrich, F., 51
Orpen, A.G., C1, C12
Ouahab, L., 205

Palacios, F., C10
Parvez, M., C4
Patzke, B., 65
Peganova, T.A., C16
Peregudova, S.M., C16
Perry, M.C., 261
Peterleitner, M.G., C16
Petrosyan, V.S., 163
Pombeiro, A.J.L., 81
Priebsch, W., 51
Pringle, P.G., C1

Qiao, K., 213
Queau, R., 177

Rehder, D., 51
Reindl, D., 221
Riera, V., 205
Ristic-Petrovic, D., C4
Robert, F., 111
Rodewald, D., 51
Roesky, P.W., C7
Rosenberger, C., 111

Salter, H., C12
Schubert, U., 241
Schulz, A., 191, 195
Shaikh, N., 261
Silva, M.E.N.P.R.A., 81
Smith, J.D., 199
Sowerby, D.B., 227
Sustmann, R., 65

Tiekink, E.R.T., 255
Troll, C., 221

Ustynyuk, N.A., C16

Vaissermann, J., 91
Van Asselt, R., 27
Vicente, J., 103
Vrieze, K., 27

Wang, S.-L., 75
Werner, H., 145
Willem, R., 255
Wilson, S.R., 1
Wocadlo, S., 163

Yashina, N.S., 163

Subject Index of Volume 480

Ab initio
Das Perfluortriazinium-Kation als Oxidationsmittel in der metallorganischen Synthese—Ein neuer Weg zur Darstellung von $[Cp_2MCl_2]^{2+}$(M = Mo, W) (A. Schulz und T.M. Klapötke), 195

Agostic
Übergangsmetall–Silyl-Komplexe. L. Darstellung, Struktur und Reaktivität der Trihydrido–Silyl- und –Stannyl-Komplexe $L_3FeH_3(ER_3)$ (E = Si, Sn) (S. Gilbert, M. Knorr, S. Mock und U. Schubert), 241

Alkenes
Behaviour of water-soluble dinuclear rhodium complexes in the hydroformylation reaction of oct-1-ene (F. Monteil, R. Queau and P. Kalck), 177

Alkyls
Vanadium(II) alkyls. Synthesis and X-ray crystal structures of *trans*-$VMe_2(dmpe)_2$ and *cis*-$V(CH_2SiMe_3)_2(dmpe)_2$ (R.J. Morris, S.R. Wilson and G.S. Girolami), 1

Alkyne
Synthesis, structure and reactions of seven-coordinate, phosphine-supported, halide-activated carbonyl- and alkyne-complexes of niobium(I) (C. Felten, D. Rodewald, W. Priebsch, F. Olbrich and D. Rehder), 51

Amide
Thallium(I)-bis(trimethylsilyl)amid (K.W. Klinkhammer und S. Henkel), 167

Antimony
Preparation and crystal structures of five organoantimony halides; (*p*-tolyl)antimony(III) dichloride and dibromide, diphenylantimony(III) bromide, (biphenyl-2,2′-diyl)antimony(III) chloride and bis-(2′-chlorobiphenyl-2-yl)antimony(V) trichloride (P.L. Millington and D.B. Sowerby), 227

Arene complexes
Five-membered OsC_3N heterocycles from osmium azavinylidenes as precursors (H. Werner, T. Daniel, T. Braun and O. Nürnberg), 145

Arsenic
First structural evidence for complexes containing arsadiphospholyl anions. Crystal structure of the iron(II) complex $[Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_2{}^tBu_2AsP_2)W(CO)_5]$ (S.S. Al-Juaid, P.B. Hitchcock, J.A. Johnson and J.F. Nixon), 45

Aryl
The use of thermotropic liquid crystals in organometallic chemistry. Synthesis of new mercury, silver and gold complexes with 4,4′-disubstituted azobenzenes (J. Vicente, M.D. Bermúdez, F.J. Carrión and G. Martínez-Nicolás), 103

Azavinylidene
Five-membered OsC_3N heterocycles from osmium azavinylidenes as precursors (H. Werner, T. Daniel, T. Braun and O. Nürnberg), 145

Biphasic catalysis
Behaviour of water-soluble dinuclear rhodium complexes in the hydroformylation reaction of oct-1-ene (F. Monteil, R. Queau and P. Kalck), 177

Biphenyl
Preparation and crystal structures of five organoantimony halides; (*p*-tolyl)antimony(III) dichloride and dibromide, diphenylantimony(III) bromide, (biphenyl-2,2′-diyl)antimony(III) chloride and bis-(2′-chlorobiphenyl-2-yl)antimony(V) trichloride (P.L. Millington and D.B. Sowerby), 227

Boron
Pyrolysis and film growth studies of phosphinoborane compounds (T.J. Groshens and C.E. Johnson), 11

Bridging ligands
Galliumverbindungen mit dem 2-(N,N-Dimethylamino)ethylcyclopentadienylliganden (P. Jutzi und M. Bangel), C18

Carbonyl
Preparation and structure of a ruthenium dicarbonyl derivative of the $P_2N_4S_2$ ring (T. Chivers, R.W. Hilts, M. Parvez, D. Ristic-Petrovic and K. Hoffman), C4
Synthesis and characterization of $Na_5[Co(CO)_3(P\{(CH_2)_nC_6H_4\text{-}p\text{-}SO_3\}_3)_2]$, $n = 1$, 2, 3, and 6. Novel zwitterionic cobalt(I) complexes and their use as precursors to water soluble hydroformylation catalysts (T. Bartik, B. Bartik, I. Guo and B.E. Hanson), 15
Synthesis, structure and reactions of seven-coordinate, phosphine-supported, halide-activated carbonyl- and alkyne-complexes of niobium(I) (C. Felten, D. Rodewald, W. Priebsch, F. Olbrich and D. Rehder), 51

Carbonylation
Carbon monoxide as a building block in organic synthesis. Part V. Involvement of palladium-hydride species in carbonylation reactions of monoterpenes. X-ray crystal structure of $[Ph_3PCH_2CH{=}CHPh]_4[PdCl_6][SnCl_6]$ (R. Naigre, T. Chenal, I. Ciprès, P. Kalck, J.-C. Daran and J. Vaissermann), 91

Catalysis
Dimerization of methyl acrylate by homogeneous transition metal catalysis. Part II. Activation of dihydridoruthenium(II)phosphane complexes by CF_3SO_3H (B. Patzke and R. Sustmann), 65
Vanadium(II) alkyls. Synthesis and X-ray crystal structures of *trans*-$VMe_2(dmpe)_2$ and *cis*-$V(CH_2SiMe_3)_2(dmpe)_2$ (R.J. Morris, S.R. Wilson and G.S. Girolami), 1

Chelate
Chelating diphos ligands with inorganic backbones. Crystal structure of $[PtCl_2\{(PPh_2O)_2SiPh_2\}]$ (J.K. Hogg, S.L. James, A.G. Orpen and P.G. Pringle), C1

Chemical vapour deposition
Pyrolysis and film growth studies of phosphinoborane compounds (T.J. Groshens and C.E. Johnson), 11

Chromium
Aminosubstituierte 2-Azoniaallenyliden-Komplexe des Chroms und Wolframs (H. Fischer, D. Reindl und C. Troll), 221
Preparation and structure of (η^5-cyclopentadienyl)(η^4-tetraphenylcyclobutadiene)cobalt coordinated by four $Cr(CO)_3$ units at the phenyl rings (F.-E. Hong, Y.-T. Chang, C.-T. Chen, S.-L. Wang and F.-L. Liao), 75

Clusters
Reaction of unsymmetrical thioalkynes $RC{\equiv}CSC_2H_5$ (R = CH_3 or C_6H_5) with iron carbonyl: cluster nuclearity has been increased from two to five iron atoms by utilizing C–S cleavage (S. Jeannin, Y. Jeannin, F. Robert and C. Rosenberger), 111
Synthesis, structure and hydrogenation catalytic activity of $[Ru_3(\mu_3,\eta^2\text{-ampy})(\mu,\eta^1{:}\eta^2\text{-PhC=CHPh})(CO)_6(PPh_3)_2]$(Hampy = 2-amino-6-methylpyridine) (J.A. Cabeza, A. Llamazares, V. Riera, P. Briard and L. Ouahab), 205
Cobalt
π-Olefin-Iridium-Komplexe. XXI. Synthese und Kristallstrukturen heterobinuclearer Komplexe mit wannenförmiger, synfacial gebundener $\eta^3{:}\eta^3$-Benzolbrücke (J. Müller, P. Escarpa Gaede und K. Qiao), 213
Preparation and structure of (η^5-cyclopentadienyl)(η^4-tetraphenylcyclobutadiene)cobalt coordinated by four $Cr(CO)_3$ units at the phenyl rings (F.-E. Hong, Y.-T. Chang, C.-T. Chen, S.-L. Wang and F.-L. Liao), 75
Stabile Bis(η^2-Alkin)MCl_2-Komplexe; Darstellung und Reaktivität (M. Herres und H. Lang), 235
Synthesis and characterization of $Na_5[Co(CO)_3(P\{(CH_2)_nC_6H_4\text{-}p\text{-}SO_3\}_3)_2]$, n = 1, 2, 3, and 6. Novel zwitterionic cobalt(I) complexes and their use as precursors to water soluble hydroformylation catalysts (T. Bartik, B. Bartik, I. Guo and B.E. Hanson), 15
Copper
Stabile Bis(η^2-Alkin)MCl_2-Komplexe; Darstellung und Reaktivität (M. Herres und H. Lang), 235
Co-stacking
The co-stacking of a planar metal complex and a novel 1,3-dithiole: the synthesis and crystal structure of [Pt(mnt)-$(CNMe)_2$] · $(NC)_2C_2S_2CNMe$ (N.G. Connelly, J.G. Crossley, A.G. Orpen and H. Salter), C12
Crystal structure
Bis-(8-oxo quinoline)diorgano tellurium(IV) compounds; structural and spectroscopic studies (A.G. Maslakov, E. Gresham, T.A. Hamor, W.R. McWhinnie, M.C. Perry and N. Shaikh), 261
Chelating diphos ligands with inorganic backbones. Crystal structure of $[PtCl_2\{(PPh_2O)_2SiPh_2\}]$ (J.K. Hogg, S.L. James, A.G. Orpen and P.G. Pringle), C1
Crystal structure of the crowded silanol $(Me_3Si)_3CSiPh_2OH$ (A.I. Al-Mansour, S.S. Al-Juaid, C. Eaborn and P.B. Hitchcock), 139
First structural evidence for complexes containing arsadiphospholyl anions. Crystal structure of the iron(II) complex [Fe(η^5-C_5H_5)(η^5-$C_2{}^tBu_2AsP_2$)$W(CO)_5$] (S.S. Al-Juaid, P.B. Hitchcock, J.A. Johnson and J.F. Nixon), 45
Five-membered OsC_3N heterocycles from osmium azavinylidenes as precursors (H. Werner, T. Daniel, T. Braun and O. Nürnberg), 145
Preparation and crystal structures of five organoantimony halides; (*p*-tolyl)antimony(III) dichloride and dibromide, diphenylantimony(III) bromide, (biphenyl-2,2′-diyl)antimony(III) chloride and bis-(2′-chlorobiphenyl-2-yl)antimony(V) trichloride (P.L. Millington and D.B. Sowerby), 227
Preparation, crystal structure, and reactivity of bis {tris(trimethylsilyl)methyl}magnesium (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, K. Kundu, C.A. McGeary and J.D. Smith), 199
Synthesis and structure of diethyltindichloride methylenediphosphinato complex: $Et_2SnCl_2 \cdot [Me(^iPrO)P(O)]_2CH_2$ (J. Lorberth, S. Wocadlo, W. Massa, N.S. Yashina, E.V. Grigor'ev and V.S. Petrosyan), 163
Synthesis, structure and reactions of seven-coordinate, phosphine-supported, halide-activated carbonyl- and alkyne-complexes of niobium(I) (C. Felten, D. Rodewald, W. Priebsch, F. Olbrich and D. Rehder), 51
Synthesis, X-ray diffraction analysis and NMR studies of (Z)-2-methyl-3-triphenylstannyl-3-pentene-2-ol (R. Willem, A. Delmotte, I. De Borger, M. Biesemans, M. Gielen, F. Kayser and E.R.T. Tiekink), 255
Thallium(I)-bis(trimethylsilyl)amid (K.W. Klinkhammer und S. Henkel), 167
The co-stacking of a planar metal complex and a novel 1,3-dithiole: the synthesis and crystal structure of [Pt(mnt)-$(CNMe)_2$] · $(NC)_2C_2S_2CNMe$ (N.G. Connelly, J.G. Crossley, A.G. Orpen and H. Salter), C12
Übergangsmetall–Silyl-Komplexe. L. Darstellung, Struktur und Reaktivität der Trihydrido–Silyl- und –Stannyl-Komplexe $L_3FeH_3(ER_3)$ (E = Si, Sn) (S. Gilbert, M. Knorr, S. Mock und U. Schubert), 241
Cyclometallation
Five-membered OsC_3N heterocycles from osmium azavinylidenes as precursors (H. Werner, T. Daniel, T. Braun and O. Nürnberg), 145
Cyclooctatetraene
Half-sandwich and mixed-ring uranium complexes (J.-C. Berthet, J.-F. Le Maréchal and M. Ephritikhine), 155
Cyclopentadienyl
Bis(η^5-pentamethylcyclopentadienyl)- and (η^5-cyclopentadienyl)(η^5-pentamethylcyclopentadienyl)platinium dications: Pt(IV) metallocenes (O.V. Gusev, T.A. Peganova, M.G. Peterleitner, S.M. Peregudova, L.I. Denisovich, N.A. Ustynyuk and P.M. Maitlis), C16
Galliumverbindungen mit dem 2-(N,N-Dimethylamino)ethylcyclopentadienylliganden (P. Jutzi und M. Bangel), C18

Diethyltin Cpd.
Synthesis and structure of diethyltindichloride methylenediphosphinato complex: $Et_2SnCl_2 \cdot [Me(^iPrO)P(O)]_2CH_2$ (J. Lorberth, S. Wocadlo, W. Massa, N.S. Yashina, E.V. Grigor'ev and V.S. Petrosyan), 163
Dinuclear
Attempts at stepwise reduction of the carbon–nitrogen triple bond of a nitrile at two metal centres: study of the reactivity of $[(CO)(PPh_3)_2Re(\mu\text{-}H)_2(\mu\text{-}NCHPh)Ru(PPh_3)_2(PhCN)]$ towards tetrafluoroboric acid and dihydrogen (I. Moldes and R. Mathieu), 185
Molecular structure of trichloro(η^5-pentamethylcyclopentadienyl)zirconium(IV) (A. Martín, M. Mena and F. Palacios), C10
Dithiole
The co-stacking of a planar metal complex and a novel 1,3-dithiole: the synthesis and crystal structure of [Pt(mnt)-$(CNMe)_2$] · $(NC)_2C_2S_2CNMe$ (N.G. Connelly, J.G. Crossley, A.G. Orpen and H. Salter), C12

Early transition metals
Molecular structure of trichloro(η^5-pentamethylcyclopentadienyl)zirconium(IV) (A. Martín, M. Mena and F. Palacios), C10
Electrochemistry
Bis(η^5-pentamethylcyclopentadienyl)- and (η^5-cyclopentadienyl)(η^5-pentamethylcyclopentadienyl)platinium dications: Pt(IV) metallocenes (O.V. Gusev, T.A. Peganova, M.G. Peterleitner, S.M. Peregudova, L.I. Denisovich, N.A. Ustynyuk and P.M. Maitlis), C16

Redox potential and substituent effects in ferrocene derivatives: II (M.E.N.P.R.A. Silva, A.J.L. Pombeiro, J.J.R. Fraústo da Silva, R. Herrmann, N. Deus and R.E. Bozak), 81

Electron spin resonance

Vanadium(II) alkyls. Synthesis and X-ray crystal structures of *trans*-$VMe_2(dmpe)_2$ and *cis*-$V(CH_2SiMe_3)_2(dmpe)_2$ (R.J. Morris, S.R. Wilson and G.S. Girolami), 1

Epoxybutane

Formation of a THF adduct of the organometallic samarium oxide $[(C_5Me_5)_2Sm]_2(\mu\text{-}O)$ (W.J. Evans and S.L. Gonzales), 41

Ferrocenes

Redox potential and substituent effects in ferrocene derivatives: II (M.E.N.P.R.A. Silva, A.J.L. Pombeiro, J.J.R. Fraústo da Silva, R. Herrmann, N. Deus and R.E. Bozak), 81

Fluxionality

Oxidative addition of organic halides to zerovalent palladium complexes containing rigid bidentate nitrogen ligands (R. Van Asselt, K. Vrieze and C.J. Elsevier), 27

Gallium

Galliumverbindungen mit dem 2-(N,N-Dimethylamino)ethylcyclopentadienylliganden (P. Jutzi und M. Bangel), C18

Gold

The use of thermotropic liquid crystals in organometallic chemistry. Synthesis of new mercury, silver and gold complexes with 4,4′-disubstituted azobenzenes (J. Vicente, M.D. Bermúdez, F.J. Carrión and G. Martínez-Nicolás), 103

Group 15

Preparation and crystal structures of five organoantimony halides; (*p*-tolyl)antimony(III) dichloride and dibromide, diphenylantimony(III) bromide, (biphenyl-2,2′-diyl)antimony(III) chloride and bis-(2′-chlorobiphenyl-2-yl)antimony(V) trichloride (P.L. Millington and D.B. Sowerby), 227

Group 4

Molecular structure of trichloro(η^5-pentamethylcyclopentadienyl)zirconium(IV) (A. Martín, M. Mena and F. Palacios), C10

Hafnium

Nucleophilic cyclocarbenes as ligands in metal halides and metal oxides (W.A. Herrmann, K. Öfele, M. Elison, F.E. Kühn and P.W. Roesky), C7

Half-sandwiches

Half-sandwich and mixed-ring uranium complexes (J.-C. Berthet, J.-F. Le Maréchal and M. Ephritikhine), 155

Halide

Preparation and crystal structures of five organoantimony halides; (*p*-tolyl)antimony(III) dichloride and dibromide, diphenylantimony(III) bromide, (biphenyl-2,2′-diyl)antimony(III) chloride and bis-(2′-chlorobiphenyl-2-yl)antimony(V) trichloride (P.L. Millington and D.B. Sowerby), 227

Synthesis, structure and reactions of seven-coordinate, phosphine-supported, halide-activated carbonyl- and alkyne-complexes of niobium(I) (C. Felten, D. Rodewald, W. Priebsch, F. Olbrich and D. Rehder), 51

Homogenous catalysis

Synthesis, structure and hydrogenation catalytic activity of $[Ru_3(\mu_3,\eta^2\text{-ampy})(\mu,\eta^1\text{:}\eta^2\text{-PhC=CHPh})(CO)_6(PPh_3)_2]$(Hampy = 2-amino-6-methylpyridine) (J.A. Cabeza, A. Llamazares, V. Riera, P. Briard and L. Ouahab), 205

Hydroesterification

Carbon monoxide as a building block in organic synthesis. Part V. Involvement of palladium-hydride species in carbonylation reactions of monoterpenes. X-ray crystal structure of $[Ph_3PCH_2CH{=}CHPh]_4[PdCl_6][SnCl_6]$ (R. Naigre, T. Chenal, I. Ciprès, P. Kalck, J.-C. Daran and J. Vaissermann), 91

Hydroformylation

Behaviour of water-soluble dinuclear rhodium complexes in the hydroformylation reaction of oct-1-ene (F. Monteil, R. Queau and P. Kalck), 177

Synthesis and characterization of $Na_5[Co(CO)_3(P\{(CH_2)_nC_6H_4\text{-}p\text{-}SO_3\}_3)_2]$, $n = 1$, 2, 3, and 6. Novel zwitterionic cobalt(I) complexes and their use as precursors to water soluble hydroformylation catalysts (T. Bartik, B. Bartik, I. Guo and B.E. Hanson), 15

Hydrogenation

Synthesis, structure and hydrogenation catalytic activity of $[Ru_3(\mu_3,\eta^2\text{-ampy})(\mu,\eta^1\text{:}\eta^2\text{-PhC=CHPh})(CO)_6(PPh_3)_2]$(Hampy = 2-amino-6-methylpyridine) (J.A. Cabeza, A. Llamazares, V. Riera, P. Briard and L. Ouahab), 205

Hydrogen bonding

Crystal structure of the crowded silanol $(Me_3Si)_3CSiPh_2OH$ (A.I. Al-Mansour, S.S. Al-Juaid, C. Eaborn and P.B. Hitchcock), 139

Hydrolysis

Procedures for the preparation of silanols (J.A. Cella and J.C. Carpenter), 23

Imine

Oxidative addition of organic halides to zerovalent palladium complexes containing rigid bidentate nitrogen ligands (R. Van Asselt, K. Vrieze and C.J. Elsevier), 27

Iodotrisilanes

Synthese und Eigenschaften einiger Iodtrisilane (K. Hassler und U. Katzenbeisser), 173

Iridium

π-Olefin-Iridium-Komplexe. XXI. Synthese und Kristallstrukturen heterobinuclearer Komplexe mit wannenförmiger, synfacial gebundener $\eta^3\text{:}\eta^3$-Benzolbrücke (J. Müller, P. Escarpa Gaede und K. Qiao), 213

Iron

First structural evidence for complexes containing arsadiphospholyl anions. Crystal structure of the iron(II) complex $[Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_2{}^tBu_2AsP_2)W(CO)_5]$ (S.S. Al-Juaid, P.B. Hitchcock, J.A. Johnson and J.F. Nixon), 45

Reaction of unsymmetrical thioalkynes $RC{\equiv}CSC_2H_5$ ($R = CH_3$ or C_6H_5) with iron carbonyl: cluster nuclearity has been increased from two to five iron atoms by utilizing C–S cleavage (S. Jeannin, Y. Jeannin, F. Robert and C. Rosenberger), 111

Redox potential and substituent effects in ferrocene derivatives: II (M.E.N.P.R.A. Silva, A.J.L. Pombeiro, J.J.R. Fraústo da Silva, R. Herrmann, N. Deus and R.E. Bozak), 81

Stabile Bis(η^2-Alkin)MCl_2-Komplexe; Darstellung und Reaktivität (M. Herres und H. Lang), 235

Übergangsmetall–Silyl-Komplexe. L. Darstellung, Struktur und Reaktivität der Trihydrido–Silyl- und –Stannyl-Komplexe $L_3FeH_3(ER_3)$ (E = Si, Sn) (S. Gilbert, M. Knorr, S. Mock und U. Schubert), 241

Isocyanide

The co-stacking of a planar metal complex and a novel 1,3-dithiole: the synthesis and crystal structure of $[Pt(mnt)(CNMe)_2]\cdot(NC)_2C_2S_2CNMe$ (N.G. Connelly, J.G. Crossley, A.G. Orpen and H. Salter), C12

Lanthanide
Formation of a THF adduct of the organometallic samarium oxide $[(C_5Me_5)_2Sm]_2(\mu\text{-}O)$ (W.J. Evans and S.L. Gonzales), 41

Magnesium
Preparation, crystal structure, and reactivity of bis {tris(trimethylsilyl)methyl}magnesium (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, K. Kundu, C.A. McGeary and J.D. Smith), 199

Mercury
The use of thermotropic liquid crystals in organometallic chemistry. Synthesis of new mercury, silver and gold complexes with 4,4′-disubstituted azobenzenes (J. Vicente, M.D. Bermúdez, F.J. Carrión and G. Martínez-Nicolás), 103

Metallocene
First structural evidence for complexes containing arsadiphospholyl anions. Crystal structure of the iron(II) complex $[Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_2{}^tBu_2AsP_2)W(CO)_5]$ (S.S. Al-Juaid, P.B. Hitchcock, J.A. Johnson and J.F. Nixon), 45

Metallocenes
Bis(η^5-pentamethylcyclopentadienyl)- and (η^5-cyclopentadienyl)(η^5-pentamethylcyclopentadienyl)platinium dications: Pt(IV) metallocenes (O.V. Gusev, T.A. Peganova, M.G. Peterleitner, S.M. Peregudova, L.I. Denisovich, N.A. Ustynyuk and P.M. Maitlis), C16
Das Perfluortriazinium-Kation als Oxidationsmittel in der metallorganischen Synthese—Ein neuer Weg zur Darstellung von $[Cp_2MCl_2]^{2+}$(M = Mo, W) (A. Schulz und T.M. Klapötke), 195
Das Reaktionsverhalten von Cp_2NbCl_2 gegenüber WF_6—Struktur von $[Cp_2NbCl_2]_4^+[WF_6]_2^-[WCl_6]^{2-}$ (A. Schulz, T.M. Klapötke, T.S. Cameron und P.K. Bakshi), 191
Formation of a THF adduct of the organometallic samarium oxide $[(C_5Me_5)_2Sm]_2(\mu\text{-}O)$ (W.J. Evans and S.L. Gonzales), 41

Methyl acrylate
Dimerization of methyl acrylate by homogeneous transition metal catalysis. Part II. Activation of dihydridoruthenium(II)phosphane complexes by CF_3SO_3H (B. Patzke and R. Sustmann), 65

Mixed-ring complexes
Half-sandwich and mixed-ring uranium complexes (J.-C. Berthet, J.-F. Le Maréchal and M. Ephritikhine), 155

MOCVD
Galliumverbindungen mit dem 2-(N,N-Dimethylamino)ethylcyclopentadienylliganden (P. Jutzi und M. Bangel), C18

Molybdenum
Das Perfluortriazinium-Kation als Oxidationsmittel in der metallorganischen Synthese—Ein neuer Weg zur Darstellung von $[Cp_2MCl_2]^{2+}$(M = Mo, W) (A. Schulz und T.M. Klapötke), 195

Mössbauer spectroscopy
Synthesis, X-ray diffraction analysis and NMR studies of (Z)-2-methyl-3-triphenylstannyl-3-pentene-2-ol (R. Willem, A. Delmotte, I. De Borger, M. Biesemans, M. Gielen, F. Kayser and E.R.T. Tiekink), 255

Nb-93 NMR
Synthesis, structure and reactions of seven-coordinate, phosphine-supported, halide-activated carbonyl- and alkyne-complexes of niobium(I) (C. Felten, D. Rodewald, W. Priebsch, F. Olbrich and D. Rehder), 51

Nickel
Stabile Bis(η^2-Alkin)MCl_2-Komplexe; Darstellung und Reaktivität (M. Herres und H. Lang), 235

Niobium
Das Reaktionsverhalten von Cp_2NbCl_2 gegenüber WF_6—Struktur von $[Cp_2NbCl_2]_4^+[WF_6]_2^-[WCl_6]^{2-}$ (A. Schulz, T.M. Klapötke, T.S. Cameron und P.K. Bakshi), 191
Nucleophilic cyclocarbenes as ligands in metal halides and metal oxides (W.A. Herrmann, K. Öfele, M. Elison, F.E. Kühn and P.W. Roesky), C7
Synthesis, structure and reactions of seven-coordinate, phosphine-supported, halide-activated carbonyl- and alkyne-complexes of niobium(I) (C. Felten, D. Rodewald, W. Priebsch, F. Olbrich and D. Rehder), 51

Nitriles
Attempts at stepwise reduction of the carbon–nitrogen triple bond of a nitrile at two metal centres: study of the reactivity of $[(CO)(PPh_3)_2Re(\mu\text{-}H)_2(\mu\text{-}NCHPh)Ru(PPh_3)_2(PhCN)]$ towards tetrafluoroboric acid and dihydrogen (I. Moldes and R. Mathieu), 185

Nitrogen
Preparation and structure of a ruthenium dicarbonyl derivative of the $P_2N_4S_2$ ring (T. Chivers, R.W. Hilts, M. Parvez, D. Ristic-Petrovic and K. Hoffman), C4

Nuclear magnetic resonance
Dimerization of methyl acrylate by homogeneous transition metal catalysis. Part II. Activation of dihydridoruthenium(II)phosphane complexes by CF_3SO_3H (B. Patzke and R. Sustmann), 65
Synthesis, X-ray diffraction analysis and NMR studies of (Z)-2-methyl-3-triphenylstannyl-3-pentene-2-ol (R. Willem, A. Delmotte, I. De Borger, M. Biesemans, M. Gielen, F. Kayser and E.R.T. Tiekink), 255
Übergangsmetall–Silyl-Komplexe. L. Darstellung, Struktur und Reaktivität der Trihydrido–Silyl- und –Stannyl-Komplexe $L_3FeH_3(ER_3)$ (E = Si, Sn) (S. Gilbert, M. Knorr, S. Mock und U. Schubert), 241

Orthometallated complexes
The use of thermotropic liquid crystals in organometallic chemistry. Synthesis of new mercury, silver and gold complexes with 4,4′-disubstituted azobenzenes (J. Vicente, M.D. Bermúdez, F.J. Carrión and G. Martínez-Nicolás), 103

Osmium
Five-membered OsC_3N heterocycles from osmium azavinylidenes as precursors (H. Werner, T. Daniel, T. Braun and O. Nürnberg), 145

Oxidation
Das Perfluortriazinium-Kation als Oxidationsmittel in der metallorganischen Synthese—Ein neuer Weg zur Darstellung von $[Cp_2MCl_2]^{2+}$(M = Mo, W) (A. Schulz und T.M. Klapötke), 195
Das Reaktionsverhalten von Cp_2NbCl_2 gegenüber WF_6—Struktur von $[Cp_2NbCl_2]_4^+[WF_6]_2^-[WCl_6]^{2-}$ (A. Schulz, T.M. Klapötke, T.S. Cameron und P.K. Bakshi), 191

Oxidative addition
Oxidative addition of organic halides to zerovalent palladium complexes containing rigid bidentate nitrogen ligands (R. Van Asselt, K. Vrieze and C.J. Elsevier), 27

Oxide
Formation of a THF adduct of the organometallic samarium oxide $[(C_5Me_5)_2Sm]_2(\mu\text{-}O)$ (W.J. Evans and S.L. Gonzales). 41

Palladium
Carbon monoxide as a building block in organic synthesis. Part V. Involvement of palladium-hydride species in carbonylation reactions of monoterpenes. X-ray crystal structure of $[Ph_3PCH_2CH{=}CHPh]_4[PdCl_6][SnCl_6]$ (R. Naigre, T. Chenal, I. Ciprès, P. Kalck, J.-C. Daran and J. Vaissermann), 91
Oxidative addition of organic halides to zerovalent palladium complexes containing rigid bidentate nitrogen ligands (R. Van Asselt, K. Vrieze and C.J. Elsevier), 27
Pentamethylcyclopentadienyl
Formation of a THF adduct of the organometallic samarium oxide $[(C_5Me_5)_2Sm]_2(\mu\text{-}O)$ (W.J. Evans and S.L. Gonzales), 41
Phosphane complexes
Dimerization of methyl acrylate by homogeneous transition metal catalysis. Part II. Activation of dihydridoruthenium(II)phosphane complexes by CF_3SO_3H (B. Patzke and R. Sustmann), 65
Phosphinato-complex
Synthesis and structure of diethyltindichloride methylenediphosphinato complex: $Et_2SnCl_2 \cdot [Me(^iPrO)P(O)]_2CH_2$ (J. Lorberth, S. Wocadlo, W. Massa, N.S. Yashina, E.V. Grigor'ev and V.S. Petrosyan), 163
Phosphine
Synthesis, structure and hydrogenation catalytic activity of $[Ru_3(\mu_3,\eta^2\text{-ampy})(\mu,\eta^1{:}\eta^2\text{-PhC=CHPh})(CO)_6(PPh_3)_2]$(Hampy = 2-amino-6-methylpyridine) (J.A. Cabeza, A. Llamazares, V. Riera, P. Briard and L. Ouahab), 205
Vanadium(II) alkyls. Synthesis and X-ray crystal structures of *trans*-$VMe_2(dmpe)_2$ and *cis*-$V(CH_2SiMe_3)_2(dmpe)_2$ (R.J. Morris, S.R. Wilson and G.S. Girolami), 1
Phosphinite
Chelating diphos ligands with inorganic backbones. Crystal structure of $[PtCl_2\{(PPh_2O)_2SiPh_2\}]$ (J.K. Hogg, S.L. James, A.G. Orpen and P.G. Pringle), C1
Phosphorus
First structural evidence for complexes containing arsadiphospholyl anions. Crystal structure of the iron(II) complex $[Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_2{}^tBu_2AsP_2)W(CO)_5]$ (S.S. Al-Juaid, P.B. Hitchcock, J.A. Johnson and J.F. Nixon), 45
Platinum
Bis(η^5-pentamethylcyclopentadienyl)- and (η^5-cyclopentadienyl)(η^5-pentamethylcyclopentadienyl)platinium dications: Pt(IV) metallocenes (O.V. Gusev, T.A. Peganova, M.G. Peterleitner, S.M. Peregudova, L.I. Denisovich, N.A. Ustynyuk and P.M. Maitlis), C16
Chelating diphos ligands with inorganic backbones. Crystal structure of $[PtCl_2\{(PPh_2O)_2SiPh_2\}]$ (J.K. Hogg, S.L. James, A.G. Orpen and P.G. Pringle), C1
The co-stacking of a planar metal complex and a novel 1,3-dithiole: the synthesis and crystal structure of $[Pt(mnt)(CNMe)_2] \cdot (NC)_2C_2S_2CNMe$ (N.G. Connelly, J.G. Crossley, A.G. Orpen and H. Salter), C12
Preparation
Organometallic alkenes: the first stable silene in the neopentyl series (G. Delpon-Lacaze and C. Couret), C14

Redox potentials
Redox potential and substituent effects in ferrocene derivatives: II (M.E.N.P.R.A. Silva, A.J.L. Pombeiro, J.J.R. Fraústo da Silva, R. Herrmann, N. Deus and R.E. Bozak), 81
Reduction
Attempts at stepwise reduction of the carbon–nitrogen triple bond of a nitrile at two metal centres: study of the reactivity of $[(CO)(PPh_3)_2Re(\mu\text{-}H)_2(\mu\text{-}NCHPh)Ru(PPh_3)_2(PhCN)]$ towards tetrafluoroboric acid and dihydrogen (I. Moldes and R. Mathieu), 185
Reductive elimination
Oxidative addition of organic halides to zerovalent palladium complexes containing rigid bidentate nitrogen ligands (R. Van Asselt, K. Vrieze and C.J. Elsevier), 27
Rhenium
Attempts at stepwise reduction of the carbon–nitrogen triple bond of a nitrile at two metal centres: study of the reactivity of $[(CO)(PPh_3)_2Re(\mu\text{-}H)_2(\mu\text{-}NCHPh)Ru(PPh_3)_2(PhCN)]$ towards tetrafluoroboric acid and dihydrogen (I. Moldes and R. Mathieu), 185
Nucleophilic cyclocarbenes as ligands in metal halides and metal oxides (W.A. Herrmann, K. Öfele, M. Elison, F.E. Kühn and P.W. Roesky), C7
Rhodium
Behaviour of water-soluble dinuclear rhodium complexes in the hydroformylation reaction of oct-1-ene (F. Monteil, R. Queau and P. Kalck), 177
π-Olefin-Iridium-Komplexe. XXI. Synthese und Kristallstrukturen heterobinuclearer Komplexe mit wannenförmiger, synfacial gebundener $\eta^3{:}\eta^3$-Benzolbrücke (J. Müller, P. Escarpa Gaede und K. Qiao), 213
Rigid ligands
Oxidative addition of organic halides to zerovalent palladium complexes containing rigid bidentate nitrogen ligands (R. Van Asselt, K. Vrieze and C.J. Elsevier), 27
Ruthenium
Attempts at stepwise reduction of the carbon–nitrogen triple bond of a nitrile at two metal centres: study of the reactivity of $[(CO)(PPh_3)_2Re(\mu\text{-}H)_2(\mu\text{-}NCHPh)Ru(PPh_3)_2(PhCN)]$ towards tetrafluoroboric acid and dihydrogen (I. Moldes and R. Mathieu), 185
Dimerization of methyl acrylate by homogeneous transition metal catalysis. Part II. Activation of dihydridoruthenium(II)phosphane complexes by CF_3SO_3H (B. Patzke and R. Sustmann), 65
Preparation and structure of a ruthenium dicarbonyl derivative of the $P_2N_4S_2$ ring (T. Chivers, R.W. Hilts, M. Parvez, D. Ristic-Petrovic and K. Hoffman), C4
Synthesis, structure and hydrogenation catalytic activity of $[Ru_3(\mu_3,\eta^2\text{-ampy})(\mu,\eta^1{:}\eta^2\text{-PhC=CHPh})(CO)_6(PPh_3)_2]$(Hampy = 2-amino-6-methylpyridine) (J.A. Cabeza, A. Llamazares, V. Riera, P. Briard and L. Ouahab), 205

Samarium
Formation of a THF adduct of the organometallic samarium oxide $[(C_5Me_5)_2Sm]_2(\mu\text{-}O)$ (W.J. Evans and S.L. Gonzales), 41
Self-condensation
Procedures for the preparation of silanols (J.A. Cella and J.C. Carpenter), 23
Silanol
Crystal structure of the crowded silanol $(Me_3Si)_3CSiPh_2OH$ (A.I. Al-Mansour, S.S. Al-Juaid, C. Eaborn and P.B. Hitchcock), 139
Silanols
Procedures for the preparation of silanols (J.A. Cella and J.C. Carpenter), 23

Silene
Organometallic alkenes: the first stable silene in the neopentyl series (G. Delpon-Lacaze and C. Couret), C14
Silicon
Chelating diphos ligands with inorganic backbones. Crystal structure of $[PtCl_2\{(PPh_2O)_2SiPh_2\}]$ (J.K. Hogg, S.L. James, A.G. Orpen and P.G. Pringle), C1
Crystal structure of the crowded silanol $(Me_3Si)_3CSiPh_2OH$ (A.I. Al-Mansour, S.S. Al-Juaid, C. Eaborn and P.B. Hitchcock), 139
Organometallic alkenes: the first stable silene in the neopentyl series (G. Delpon-Lacaze and C. Couret), C14
Preparation, crystal structure, and reactivity of bis {tris(trimethylsilyl)methyl}magnesium (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, K. Kundu, C.A. McGeary and J.D. Smith), 199
Procedures for the preparation of silanols (J.A. Cella and J.C. Carpenter), 23
Stabile Bis(η^2-Alkin)MCl_2-Komplexe; Darstellung und Reaktivität (M. Herres und H. Lang), 235
Synthese und Eigenschaften einiger Iodtrisilane (K. Hassler und U. Katzenbeisser), 173
Thallium(I)-bis(trimethylsilyl)amid (K.W. Klinkhammer und S. Henkel), 167
Silver
Stabile Bis(η^2-Alkin)MCl_2-Komplexe; Darstellung und Reaktivität (M. Herres und H. Lang), 235
The use of thermotropic liquid crystals in organometallic chemistry. Synthesis of new mercury, silver and gold complexes with 4,4′-disubstituted azobenzenes (J. Vicente, M.D. Bermúdez, F.J. Carrión and G. Martínez-Nicolás), 103
Silyl
Übergangsmetall–Silyl-Komplexe. L. Darstellung, Struktur und Reaktivität der Trihydrido–Silyl- und –Stannyl-Komplexe $L_3FeH_3(ER_3)$ (E = Si, Sn) (S. Gilbert, M. Knorr, S. Mock und U. Schubert), 241
Stannyl
Übergangsmetall–Silyl-Komplexe. L. Darstellung, Struktur und Reaktivität der Trihydrido–Silyl- und –Stannyl-Komplexe $L_3FeH_3(ER_3)$ (E = Si, Sn) (S. Gilbert, M. Knorr, S. Mock und U. Schubert), 241
Substituent effects
Redox potential and substituent effects in ferrocene derivatives: II (M.E.N.P.R.A. Silva, A.J.L. Pombeiro, J.J.R. Fraústo da Silva, R. Herrmann, N. Deus and R.E. Bozak), 81
Sulfur
Preparation and structure of a ruthenium dicarbonyl derivative of the $P_2N_4S_2$ ring (T. Chivers, R.W. Hilts, M. Parvez, D. Ristic-Petrovic and K. Hoffman), C4

Tantalum
Nucleophilic cyclocarbenes as ligands in metal halides and metal oxides (W.A. Herrmann, K. Öfele, M. Elison, F.E. Kühn and P.W. Roesky), C7
Tellurium
Bis-(8-oxo quinoline)diorgano tellurium(IV) compounds; structural and spectroscopic studies (A.G. Maslakov, E. Gresham, T.A. Hamor, W.R. McWhinnie, M.C. Perry and N. Shaikh), 261
Terpenes
Carbon monoxide as a building block in organic synthesis. Part V. Involvement of palladium-hydride species in carbonylation reactions of monoterpenes. X-ray crystal structure of $[Ph_3PCH_2CH{=}CHPh]_4[PdCl_6][SnCl_6]$ (R. Naigre, T. Chenal, I. Ciprès, P. Kalck, J.-C. Daran and J. Vaissermann), 91
Thallium
Thallium(I)-bis(trimethylsilyl)amid (K.W. Klinkhammer und S. Henkel), 167
Thin films
Pyrolysis and film growth studies of phosphinoborane compounds (T.J. Groshens and C.E. Johnson), 11
Thioalkynes
Reaction of unsymmetrical thioalkynes $RC{\equiv}CSC_2H_5$ (R = CH_3 or C_6H_5) with iron carbonyl: cluster nuclearity has been increased from two to five iron atoms by utilizing C–S cleavage (S. Jeannin, Y. Jeannin, F. Robert and C. Rosenberger), 111
Tin
Synthesis and structure of diethyltindichloride methylenediphosphinato complex: $Et_2SnCl_2 \cdot [Me(^iPrO)P(O)]_2CH_2$ (J. Lorberth, S. Wocadlo, W. Massa, N.S. Yashina, E.V. Grigor'ev and V.S. Petrosyan), 163
Synthesis, X-ray diffraction analysis and NMR studies of (Z)-2-methyl-3-triphenylstannyl-3-pentene-2-ol (R. Willem, A. Delmotte, I. De Borger, M. Biesemans, M. Gielen, F. Kayser and E.R.T. Tiekink), 255
Titanium
Nucleophilic cyclocarbenes as ligands in metal halides and metal oxides (W.A. Herrmann, K. Öfele, M. Elison, F.E. Kühn and P.W. Roesky), C7
Stabile Bis(η^2-Alkin)MCl_2-Komplexe; Darstellung und Reaktivität (M. Herres und H. Lang), 235
Transition metals
Dimerization of methyl acrylate by homogeneous transition metal catalysis. Part II. Activation of dihydridoruthenium(II)phosphane complexes by CF_3SO_3H (B. Patzke and R. Sustmann), 65
Transmetallation
The use of thermotropic liquid crystals in organometallic chemistry. Synthesis of new mercury, silver and gold complexes with 4,4′-disubstituted azobenzenes (J. Vicente, M.D. Bermúdez, F.J. Carrión and G. Martínez-Nicolás), 103
Tungsten
Aminosubstituierte 2-Azoniaallenyliden-Komplexe des Chroms und Wolframs (H. Fischer, D. Reindl und C. Troll), 221
Das Perfluortriazinium-Kation als Oxidationsmittel in der metallorganischen Synthese—Ein neuer Weg zur Darstellung von $[Cp_2MCl_2]^{2+}$(M = Mo, W) (A. Schulz und T.M. Klapötke), 195
First structural evidence for complexes containing arsadiphospholyl anions. Crystal structure of the iron(II) complex $[Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_2{}^tBu_2AsP_2)W(CO)_5]$ (S.S. Al-Juaid, P.B. Hitchcock, J.A. Johnson and J.F. Nixon), 45

Uranium
Half-sandwich and mixed-ring uranium complexes (J.-C. Berthet, J.-F. Le Maréchal and M. Ephritikhine), 155

Vanadium
Nucleophilic cyclocarbenes as ligands in metal halides and metal oxides (W.A. Herrmann, K. Öfele, M. Elison, F.E. Kühn and P.W. Roesky), C7
Vanadium(II) alkyls. Synthesis and X-ray crystal structures of *trans*-$VMe_2(dmpe)_2$ and *cis*-$V(CH_2SiMe_3)_2(dmpe)_2$ (R.J. Morris, S.R. Wilson and G.S. Girolami), 1

Water-soluble catalysts
Synthesis and characterization of $Na_5[Co(CO)_3(P\{(CH_2)_nC_6H_4\text{-}p\text{-}SO_3\}_3)_2]$, n = 1, 2, 3, and 6. Novel zwitterionic cobalt(I) complexes and their use as precursors to water soluble hydro-

formylation catalysts (T. Bartik, B. Bartik, I. Guo and B.E. Hanson), 15

Water-soluble phosphines

Synthesis and characterization of $Na_5[Co(CO)_3(P\{(CH_2)_nC_6H_4\text{-}p\text{-}SO_3\}_3)_2]$, $n = 1$, 2, 3, and 6. Novel zwitterionic cobalt(I) complexes and their use as precursors to water soluble hydroformylation catalysts (T. Bartik, B. Bartik, I. Guo and B.E. Hanson), 15

X-ray crystallography

π-Olefin-Iridium-Komplexe. XXI. Synthese und Kristallstrukturen heterobinuclearer Komplexe mit wannenförmiger, synfacial gebundener $\eta^3:\eta^3$-Benzolbrücke (J. Müller, P. Escarpa Gaede und K. Qiao), 213

X-ray diffraction

Das Reaktionsverhalten von Cp_2NbCl_2 gegenüber WF_6—Struktur von $[Cp_2NbCl_2]_4^+[WF_6]_2^-[WCl_6]^{2-}$ (A. Schulz, T.M. Klapötke, T.S. Cameron und P.K. Bakshi), 191

Molecular structure of trichloro(η^5-pentamethylcyclopentadienyl)zirconium(IV) (A. Martín, M. Mena and F. Palacios), C10

Reaction of unsymmetrical thioalkynes $RC{\equiv}CSC_2H_5$ ($R = CH_3$ or C_6H_5) with iron carbonyl: cluster nuclearity has been increased from two to five iron atoms by utilizing C–S cleavage (S. Jeannin, Y. Jeannin, F. Robert and C. Rosenberger), 111

Synthesis and structure of diethyltindichloride methylenediphosphinato complex: $Et_2SnCl_2 \cdot [Me(^iPrO)P(O)]_2CH_2$ (J. Lorberth, S. Wocadlo, W. Massa, N.S. Yashina, E.V. Grigor'ev and V.S. Petrosyan), 163

Synthesis, structure and hydrogenation catalytic activity of $[Ru_3(\mu_3,\eta^2\text{-ampy})(\mu,\eta^1{:}\eta^2\text{-PhC=CHPh})(CO)_6(PPh_3)_2]$(Hampy = 2-amino-6-methylpyridine) (J.A. Cabeza, A. Llamazares, V. Riera, P. Briard and L. Ouahab), 205

Vanadium(II) alkyls. Synthesis and X-ray crystal structures of *trans*-$VMe_2(dmpe)_2$ and *cis*-$V(CH_2SiMe_3)_2(dmpe)_2$ (R.J. Morris, S.R. Wilson and G.S. Girolami), 1

X-ray structure

Carbon monoxide as a building block in organic synthesis. Part V. Involvement of palladium-hydride species in carbonylation reactions of monoterpenes. X-ray crystal structure of $[Ph_3PCH_2CH{=}CHPh]_4[PdCl_6][SnCl_6]$ (R. Naigre, T. Chenal, I. Ciprès, P. Kalck, J.-C. Daran and J. Vaissermann), 91

Zirconium

Molecular structure of trichloro(η^5-pentamethylcyclopentadienyl)zirconium(IV) (A. Martín, M. Mena and F. Palacios), C10